

TYPICAL INSPECTIONS FOR SWIMMING POOLS

To schedule an inspection, call (801) 446-5327 at least one business day in advance before 4:00 p.m.

Building permit and approved plans must be on site for all inspections.

	Type of Inspection	Brief Description
	Pre-construction	To check for any future problems with grade, drainage, or any other possible issues (not required for gunite pools).
	Excavation / Footing	After the hole has been dug. For fiberglass pools, pool must be placed, and half filled with water for the inspection. <u>*A soils report from a State licensed geotechnical engineer is required to be submitted to the inspector at this inspection.</u>
COMBINED INSPECTION	Subrough Plumbing	Test and inspection of underground plumbing.
	Subrough Gas Line	Test of 1½ times the working pressure for 15 minutes. Also need to see the trench with the gas line bedded and #18 yellow tracer wire placed.
	Subrough Electrical	Inspection of underground electrical. <i>(May be done with the subrough plumbing inspection.)</i>
	Steel & Equipotential Bonding	Inspection of equipotential bonding and required steel. <i>(May be done with the subrough plumbing inspection.)</i>
	Rough Building / Electrical	To check rough electrical, rough building for where equipment is placed, rough mechanical (combustion air).
	Final Inspection	When all work is completed, fences installed, and the cover or alarm are installed. This inspection must be approved prior to use of the pool.

***Note:** If an accessory building is to be built, a separate permit and additional inspections are required (see <https://www.herriman.org/detached-structures>)